



National Weather Service

Storm Data and Unusual Weather Phenomena



January 2001

Location	Date	Time	Path	Path	Number of		Estimated		Character of Storm
		Local/ Standard	Length (Miles)	Width (Yards)	Killed	Injured	Property	Crops	

MINNESOTA, Northeast

MNZ020-033>038 Southern Lake - Southern Cass - Crow Wing - Northern Aitkin - Southern Aitkin - Southern St. Louis / Carlton - Pine

29 2130CST
30 0400CST

0 0

Ice Storm

Freezing rain resulted in 1/4 to 1/2 inch of ice on exposed surfaces. The ice was followed by 1 to 4 inches of snow, making driving very treacherous. Most schools were closed on January 30th.

WISCONSIN, Northwest

WIZ004

Iron

07 0500CST
1200CST

0 0

Heavy Snow

Heavy lake effect snow resulted in accumulations up to 8 inches in northern Iron County.

WIZ004

Iron

18 2130CST
19 0400CST

0 0

Heavy Snow

Heavy lake effect snow resulted in accumulations up to 10 inches in northern Iron County.

WIZ004

Iron

23 2200CST
24 0700CST

0 0

Heavy Snow

Heavy lake effect snow resulted in accumulations up to 8 inches in northern Iron County.

WIZ002>004

Bayfield - Ashland - Iron

26 0400CST
2300CST

0 0

Heavy Snow

Heavy lake effect snow fell along the south shore of Lake Superior. Some of the higher amounts were 6 inches in Cornucopia, 9 inches in Mellen, and 10 inches in Hurley.

WIZ001>004-006>009

Douglas - Bayfield - Ashland - Iron - Burnett - Washburn - Sawyer - Price

29 2100CST
30 0400CST

0 0

Ice Storm

Freezing rain resulted in 1/4 to 1/2 inch of ice on exposed surfaces. The ice was followed by 1 to 4 inches of snow, making driving very treacherous. Most schools were closed on January 30th.